


Objekt : Městská policie Nymburk  
Popis : Kanceláře strážníci 4  
Číslo projektu : 1  
Datum : 03.10.2017

## 2 Prostor 1

### 2.3 Výsledky výpočtu, Prostor 1

#### 2.3.1 Tabulka, Srovnávací rovina 1.1 (E)

[m]	415	547	639	671	631	527	405	307	(232)				
4.5													
4.0	573	784	932	992	946	776	576	423	310				
3.5													
3.0	640	884	1040	1130	1140	995	771	579	408				
2.5	622	861	990	1070	[1160]	1100	931	731	498				
2.0													
1.5	567	786	892	963	1090	1080	946	757	514				
1.0													
1.0	455	617	713	808	942	932	791	622	436				
0.5													
0.0	327	429	507	601	705	692	571	442	323				
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	[m]
Intenzita osvětlení [lx]													



---

Výška srovnávací roviny

Udržovaná osvětlenost	Em	: 0.75 m
Minimální osvětlenost	Emin	: 710 lx
Maximální osvětlenost	Emin	: 232 lx
Rovnoměrnost Uo	Emax	: 1160 lx
Rovnoměrnost Ud	Emin/Em	: 1 : 3.06 (0.33)
	Emin/Emax	: 1 : 4.99 (0.20)